










## Chlamydia trachomatis / Neisseria gonorrhoea (CTGC) and Vaginosis/Vaginitis (BV) Testing

| Source      | Test  | Mediatech Order Description                                | L-Code (Lab)      | Temperature            | Stability | Container  |
|-------------|---|--|-------------------|------------------------|-----------|--|
| Urine       | Chlamydia trachomatis and Neisseria gonorrhoea  | <b>GenProbe, CT/GC, Urine</b>                              | <b>CTGC(URN)</b>  | Refrigerate            | 30 days   | <b>Cobas Urine Kit</b><br>    |
| Vaginal     | Chlamydia trachomatis and Neisseria gonorrhoea  | <b>GenProbe, CT/GC, Vaginal</b>                            | <b>CTGC(VAG)</b>  | Refrigerate or Ambient | 60 days   | <b>Cobas Uni Swab Kit</b><br> |
| Vaginal     | Molecular vaginitis/vaginosis Assay<br><i>Includes:</i><br><ul style="list-style-type: none"> <li>• <i>Candida species group</i></li> <li>• <i>Candida glabrata</i></li> <li>• <i>Trichomonas vaginalis</i></li> <li>• <i>BV (Bacterial Vaginosis)</i></li> </ul> | <b>BV, Molecular Detection</b>                             | <b>BV</b>         | Refrigerate or Ambient | 30 days   | <b>Aptima (orange)</b><br>    |
| Vaginal     | Molecular vaginitis/vaginosis Assay with Chlamydia trachomatis and Neisseria gonorrhoea Panel   | <b>GenProbe, CT/GC, Plus BV</b><br><i>submit one swab</i>  | <b>CTGCBV</b>     | Refrigerate or Ambient | 30 days   | <b>Aptima (orange)</b><br>    |
| Anal/Rectal | Chlamydia trachomatis and Neisseria gonorrhoea  | <b>GenProbe, CT/GC, Misc</b><br><i>must specify source</i> | <b>CTGC(MISC)</b> | Refrigerate or Ambient | 60 days   | <b>Aptima (orange)</b><br>   |
| Oral/Throat | Chlamydia trachomatis and Neisseria gonorrhoea  | <b>GenProbe, CT/GC, Misc</b><br><i>must specify source</i> | <b>CTGC(MISC)</b> | Refrigerate or Ambient | 60 days   | <b>Aptima (orange)</b><br>  |
| Ocular      | Chlamydia trachomatis and Neisseria gonorrhoea  | <b>GenProbe, CT/GC, Misc</b><br><i>must specify source</i> | <b>CTGC(MISC)</b> | Refrigerate or Ambient | 60 days   | <b>Aptima (orange)</b><br>  |

## Chlamydia trachomatis / Neisseria gonorrhea (CTGC) and Vaginosis/Vaginitis (BV) Testing

|          |   |  |                 |                        |         |   |
|----------|---|--|-----------------|------------------------|---------|---|
| Cervical | Chlamydia trachomatis and Neisseria gonorrhea | <b>Thin Prep Gen Probe Panel</b>   | <b>TPGPROBE</b> | Ambient                | 30 days | Thin Prep Vial<br>   |
| Urine    | Trichomonas vaginalis                         | <b>Trich Vag, RNA, Urine</b><br><br><i>Intended for males only – will require special collection kit</i><br><br><b>MUST BE APTIMA URINE</b><br><br><b>WILL BE REJECTED IF COLLECTED IN COBAS KIT</b> | <b>TVRNA</b>    | Refrigerate or Ambient | 60 days | Aptima Urine (Yellow)<br><br><br><i>Contact Lead Lab Assistant to reorder supplies</i> |

**\*\*\*\* Endocervical swab and Urethral swab no longer accepted (Not an optimal site) \*\*\*\***

**CONSULT LABORATORY TEST CATALOG FOR ADDITIONAL DETAILS**  
*(via Clinical Resources on NMC Gateway)*